



Errata #2 (Included in the 3rd Printing)		
Pg #	Entry	Revision
70	<i>Delphinium</i> 02a	delete - "deep blue"
70	<i>Delphinium</i> 02b	delete - "deep blue to pale blue or white"
73	<i>Rnunculus</i> 18a <i>uncinatus</i>	delete - "sw ¼ of AB"
177	<i>Micranthes</i> 02b <i>nelsoniana</i>	delete - "rarely gland-tipped"
177	<i>Micranthes</i> 02b <i>nelsoniana</i>	change - "spreading" to "tangled"
181	<i>Rosaceae</i> 05a <i>Aruncus diocus</i>	delete - "glandular hairy"
195	<i>Potentilla</i> 40b <i>pulcherrima</i>	change - "Glands on leaves usually conspicuous and red-tipped" to "leaf glands (when present) colorless and inconspicuous to red-tipped and conspicuous"
195	<i>Potentilla</i> 40a <i>gracilis</i>	change - "Glands on leaves usually absent or and uncolored inconspicuous" to "leaf glands (when present) colorless and inconspicuous"
237	<i>Gentianella</i> 01a <i>amarella</i>	change - "lowland sites throughout AB" to "throughout AB from low elevation to alpine sites"
251	<i>Myosotis</i> 02b	change "02" to "03"
298	<i>Antennaria</i> 11a <i>corymbosa</i>	add - illustration from p 297
386	<i>Danthonia</i> 03a <i>intermedia</i>	delete - "leaf sheaths usually hairless"
409	<i>Tofieldiaceae</i> 01a	change - "2.5-3 mm wide" to "2.5-3 mm long"
459	<i>Carex saximontana</i>	change "KM" to "LK"
487	index - <i>Crepis</i>	add - 285; <i>capillaris</i> 306, <i>intermedia</i> 306, <i>occidentalis</i> 306, <i>runcinata</i> 306
502	index - <i>Utricularia</i>	change - "macroriza" to "macrorhiza"

Enhancements #2 (Included in the 3rd Printing)					
Pg #	Entry	Revision	Pg #	Entry	Revision
iv	copyright info	add - "Errata and Enhancements for this book are posted occasionally on the Alberta Native Plant Council website at <a href="https://anpc.ab.ca">https://anpc.ab.ca</a> . Please check there to see if new information is available."	262	Penstemon 03a fruticosus	add - "usually toothed" to leaf description
70	Delphinium 02a	add - "side sepals usually bent back/down"	262	Penstemon 03b ellipticus	add - "flowers 3-3.5 cm long"
70	Delphinium 02b	add - "side sepals usually spreading"	262	Penstemon 03b ellipticus	add - "usually untoothed" to leaf description
74	Ranunculus 23a occidentalis	change - "5-13 x 1.5-8" to "8-12 x 3-8"	274	Verbascum 02a thapsus	add - "Plants 100-200 cm tall"
74	Ranunculus 23a occidentalis	change - "2.6-3.6" to "3-3.4"	274	Verbascum 02b phlomoides	add - "Plants 30-120 cm tall"
74	Ranunculus 23a occidentalis	change - "(0.6)1-1.6" to "curved, 1.2-1.4"	298	Antennaria 08b umbrinella	change - "and on" to "not on"
74	Ranunculus 23b acris	change - "0.2-1" to "straight or curved, 0.2-1"	298	Antennaria 12a parvifolia	add - "plants 2-8(15) cm tall; flowerheads 2-7"
95	Eremogone 01a capillaris	reword as "01a Stem leaves in 1-3 pairs, abruptly reduced upwards; flowers on (2)5-20 mm, glandular stalks, in open (rarely compact) clusters of 1-12(18); sepals edged with broad margins, 3-4 mm long, expanding to 5 mm in fruit; capsules 5-8 mm long, hairless or sparsely glandular - <i>Eremogone capillaris</i> "	298	Antennaria 12a parvifolia	replace illustration
95	Eremogone 01b congesta	reword as "01b Stem leaves in 3-5 pairs, gradually reduced upwards; flowers on 1-6(15) mm, hairless or glandular stalks, in compact to open clusters of 3-50+; sepals with narrow margins, 4-6 mm long, not expanding in fruit; capsules 3.5-6 mm long, hairless - <i>Eremogone congesta</i> "	298	Antennaria 12b	add - "plants (4)9-30 cm tall; flowerheads 3-20"
109	Rumex 04a acetosa	add - "weed of gardens and waste places"	301	Artemisia 09a campestris	change - "25-60" to "30-100"
109	Rumex 04a acetosa	add - "[ <i>Rumex acetosa</i> subsp. <i>alpestris</i> , in error]"	301	Artemisia 09b borealis	change - "4-6" to "3.5-4"
109	Rumex 04b lapponicus	add - "native species of moist alpine/subalpine sites"	301	Artemisia 09b borealis	change - "10-25" to "10-20(40)"
123	Salix 09a exigua	add - "s of Calgary, uncommon"	301	Artemisia 05a biennis	delete - "leaves ± hairless"
123	Salix 09b interior	add - "widespread, common"	301	Artemisia 05a biennis	change - "lobes" to "leaf lobes"
155	Physaria 01a	add - "leaves mostly egg-shaped, up to 1 cm wide"	301	Artemisia 05b	delete - "leaves ± hairy"
155	Physaria 01b	add - "leaves mostly lance-shaped, <1 cm wide"	301	Artemisia 05b	change - "lobes" to "leaf lobes"
175	Saxifragaceae 09b Tiarella	add - "[includes <i>Tiarella unifoliata</i> ]"	306	Crepis 02a tectorum	add - "and rough and bristly to matted hair on the lower/outer side" to involucral bracts description
190	Potentilla 15b jepsonii	replace illustration	306	Crepis 02b capilaris	add - "and glandular hairs (usually in 2 rows) on the lower/outer side" to involucral bracts description
196	Rubus 02b parviflorus	change - "parviflorus" to "nutkanus"	309	Erigeron 14a peregrinus	add - "Erigeron glacialis may also key here; see 28a/28b"
196	Rubus 02b parviflorus	add - "[ <i>Rubus parviflorus</i> ]" as a synonym	309	Erigeron 18b	add - "heads 1-many"
197	Spiraea 01a alba	add - "ce AB"	312	Gnaphalium 01a uliginosum	add - "stems usually branched, sometimes simple, erect"
197	Spiraea 01b	add - "w and se AB"	312	Gnaphalium 01b palustre	add - "stems usually with sprawling branches"
256	Galeopsis 02b bifida	change - "with darker markings reaching the edges or the whole lip" to "with darker markings or a dark patch reaching nearly or fully to the edges"	324	Sympotrichum 08a laeve	add - "upper leaves with bases ± clasping the stem"
262	Penstemon 03a fruticosus	change - "2-10X" to "6-10X"	324	Sympotrichum 08b	add - "upper leaves usually not clasping the stem"
262	Penstemon 03a fruticosus	add - "flowers 3.5-4.5(5) cm long"	348	Carex 12a saximontana	new illustration

Enhancements #2 (Included in the 3rd Printing)					
Pg #	Entry	Revision	Pg #	Entry	Revision
361	<i>Carex 26a saximontana</i>	new illustration	425	glossary	add - "flagged = Tipped with a thin, membranous appendage."
385	<i>Danthonia 01a unispicata</i>	add - "leaves with long, spreading to reflexed hairs"	444	references	add - "Argus, G. W. 2008. A Guide to the identification of <i>Salix</i> (willows) in Alberta. Garden Workshop on willow identification Jasper National Park, Alberta. Accessed. <a href="https://www.researchgate.net/publication/228983504">https://www.researchgate.net/publication/228983504</a> ."
385	<i>Danthonia 01b</i>	add - "leaves often hairy but not as above"	450	references	add - "Leighton, A. L. and V. L. Harms. 2014. Grasses of Saskatchewan. Flora of Saskatchewan. Fascicle 4. Flora of Saskatchewan Association. Regina, Saskatchewan."
385	<i>Danthonia 02a spicata</i>	add - "usually becoming curled at maturity" to leaf description	498	index - <i>Rubus</i>	add - "nutkanus 196"
385	<i>Danthonia 02b</i>	add - "not curled at maturity" to leaf description	498	index - <i>Rumex acetosa</i>	add - "ssp. <i>alpestris</i> 109"
386	<i>Danthonia 03a intermedia</i>	change - "clusters" to "clusters with ≥4 spikelets"	504	last page	add - ruler image
386	<i>Danthonia 03b</i>	change - "clusters" to "clusters with <4 spikelets"			
386	<i>Danthonia 04a parryi</i>	add - "panicle branches flexible to stiff, ascending at maturity, branched"			
386	<i>Danthonia 04b californica</i>	add - "panicle branches flexible, usually spreading or reflexed at maturity, unbranched"			
405	<i>Maianthemum 02a canadense</i>	add - "flowers in clusters of 12-25 with (1)2(3) flowers per joint; flower stalks 3-7 mm long"			
405	<i>Maianthemum 02b trifolium</i>	add - "flowers in clusters of 5-15 with 1 flower per joint; flower stalks 1-3 mm long"			
406	<i>Maianthemum 03a amplexicaule</i>	change - "(panicles)" to "(panicles), with 70-250 flowers"			
406	<i>Maianthemum 03a amplexicaule</i>	add - "flower stalks 0.5-1 mm long"			
406	<i>Maianthemum 03a amplexicaule</i>	add - "immature berries green with copper spots"			
406	<i>Maianthemum 03b stellatum</i>	change - "(racemes)" to "(racemes) with 6-15 flowers"			
406	<i>Maianthemum 03b stellatum</i>	add - "flower stalks 6-12 mm long"			
406	<i>Maianthemum 03b stellatum</i>	add - "immature berries green with dark stripes"			
406	<i>Liliaceae 06a Convallaria majalis</i>	add - "nodding to one side"			
407	<i>Liliaceae 07a Streptopus</i>	add - "stems hairless except for fringes at joints or reddish hairs near the base, freely branched (usually) to unbranched"			
407	<i>Liliaceae 07b Prosartes</i>	add - "stems minutely hairy, with 0-few branches"			
407	<i>Prosartes 01a trachycarpum</i>	add - "leaf bases clasping the stem"			
407	<i>Prosartes 01b hookeri</i>	add - "leaf bases rounded, not clasping"			
408	<i>Streptopus 02a lanceolatus</i>	add - "tepals 6-10 mm long"			
408	<i>Streptopus 02b streptopoides</i>	add - "tepals 3-5 mm long"			



Potentilla jepsonii (p. 190)



Antennaria parvifolia (p. 298)



Carex saximontana (p. 348, 361)

New Illustrations (3<sup>rd</sup> Printing)



Ruler (p. 504)